

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| S3 | 71 | S1 AND (client WITH discover\$3 WITH request\$3) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/02/20 13:27 |
| S4 | 27732 | (709/203,223-225,217-219,228,229).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2007/02/20 13:28 |
| S5 | 17 | S3 AND S4 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/02/20 13:33 |
| S16 | 12 | (SOEMO NEAR MICHAEL).in. | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/05 11:05 |
| S17 | 6 | S16 AND LON | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/05 11:06 |
| S19 | 76 | S18 AND (client WITH discover\$3 WITH request\$3) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:13 |
| S20 | 28293 | (709/203,223-225,217-219,228,229).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2007/03/28 19:13 |
| S21 | 19 | S19 AND S20 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:14 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S22 | 5 | S21 AND (mobile OR thin) NEAR2 (device OR client) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:17 |
| S23 | 334 | S18 AND (mobile OR thin) NEAR2 (device OR client) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:17 |
| S24 | 34 | S18 SAME (mobile OR thin) NEAR2 (device OR client) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:17 |
| S7 | 16 | S3 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:18 |
| S25 | 33 | S24 AND discover\$3 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:18 |
| S28 | 15 | S24 AND discover\$3 AND @ad<="20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:25 |
| S30 | 4 | S29 SAME registry | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:28 |
| S27 | 14 | S24 AND discover\$3 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:31 |
| S29 | 57 | client NEAR2 discovery NEAR2 request | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:31 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S33 | 19 | client NEAR2 discovery NEAR2 request AND S32 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:31 |
| S34 | 9 | S33 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/28 19:31 |
| S1 | 1303 | ("universal description discovery and integration") OR UDDI | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 10:41 |
| S35 | 2 | ("20020041667").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2007/03/29 10:41 |
| S31 | 2 | S29 SAME unavailable | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:02 |
| S37 | 811 | S36 AND (unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:06 |
| S36 | 6571 | ("universal description discovery and integration") OR UDDI OR LDAP | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:07 |
| S40 | 13839 | ("universal description discovery and integration") OR UDDI OR LDAP OR (service NEAR2 directory) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:07 |
| S2 | 1151 | S1 AND discover\$3 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:08 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S38 | 58 | S36 AND ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:08 |
| S39 | 560 | S36 AND ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) AND (Intermediary OR proxy OR intermediate)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:08 |
| S41 | 94 | S40 AND ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:08 |
| S42 | 929 | S40 AND ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) AND (Intermediary OR proxy OR intermediate)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:08 |
| S43 | 39 | S41 AND discover\$3 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:08 |
| S44 | 528 | S42 AND discover\$3 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:09 |
| S45 | 55 | S42 AND discover\$3 AND (Queue OR cash\$3 OR buffer\$3) NEAR2 (discover OR request) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:11 |
| S48 | 55 | S44 AND discover\$3 AND (Queue OR cash\$3 OR buffer\$3) NEAR2 (discover OR request) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:11 |
| S50 | 28357 | (709/203,223-225,217-219,228,229).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2007/03/29 11:13 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S51 | 15 | S49 AND S50 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:13 |
| S49 | 42 | S48 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:18 |
| S52 | 27 | S49 NOT S51 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 11:19 |
| S55 | 79 | TCP NEAR3 acceleration | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 13:23 |
| S61 | 404 | registry ADJ server | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 13:55 |
| S32 | 6543 | ("universal description discovery and integration") OR UDDI OR LDAP | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 13:56 |
| S62 | 1065 | registry ADJ (server OR service) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 13:56 |
| S63 | 1476 | ("universal description discovery and integration") OR UDDI OR LDAP AND S62 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 13:56 |
| S26 | 4 | S24 AND discover\$3 NEAR2 request | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 13:57 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S64 | 93 | S63 AND discover\$3 NEAR2 request | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 13:57 |
| S65 | 28 | S64 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:04 |
| S68 | 17 | UDDI.ti. | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:06 |
| S57 | 36 | determin\$4 NEAR2 (server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:16 |
| S75 | 36 | S57 AND S70 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:16 |
| S70 | 520 | (server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:49 |
| S77 | 2 | (server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line) SAME (Intermediary OR proxy OR intermediate)) AND S76 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:50 |
| S78 | 2 | (server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line) AND (Intermediary OR proxy OR intermediate)) AND S76 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:51 |
| S79 | 3656 | DHCP ADJ server ((unavailable OR not\$1available OR off\$1line) AND (Intermediary OR proxy OR intermediate)) AND S76 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:51 |

EAST Search History

| | | | | | | |
|-----|------|---|---|-----|----|------------------|
| S80 | 3656 | DHCP ADJ server ((unavailable OR not\$1available OR off\$1line) SAME(Intermediary OR proxy OR intermediate)) AND S76 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:51 |
| S76 | 61 | DHCP discover request | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | ADJ | ON | 2007/03/29 14:52 |
| S81 | 3656 | DHCP ADJ server ((unavailable OR not\$1available OR off\$1line) SAME (Intermediary OR proxy OR intermediate)) AND S76 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:52 |
| S84 | 1130 | DHCP NEAR2 request | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:52 |
| S85 | 12 | DHCP ADJ server SAME ((unavailable OR not\$1available OR off\$1line) AND (Intermediary OR proxy OR intermediate)) AND S84 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:57 |
| S18 | 1352 | ("universal description discovery and integration") OR UDDI | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:59 |
| S60 | 21 | S57 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:59 |
| S87 | 31 | ("universal description discovery and integration") OR UDDI AND S86 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 14:59 |
| S88 | 18 | S87 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:00 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S86 | 2110 | (server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line) SAME (Intermediary OR proxy OR intermediate)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:07 |
| S90 | 11 | determin\$4 NEAR4 (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queue\$3 OR buffer\$3) SAME (re\$1transmit\$3 OR re\$1send\$4 OR communicat\$3 OR transmit\$4 OR send\$4) SAME (request OR discover) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:08 |
| S89 | 11 | determine\$3 NEAR4 (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queue\$3 OR buffer\$3) SAME (re\$1transmit\$3 OR re\$1send\$4 OR communicat\$3 OR transmit\$4 OR send\$4) SAME (request OR discover) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:10 |
| S92 | 22 | S91 AND @ad<"20030630" NOT S89 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:11 |
| S94 | 14 | (US-20050021663-\$ or US-20040003033-\$ or US-20030158915-\$ or US-20030100307-\$ or US-20020165945-\$ or US-20040090966-\$ or US-20020143819-\$ or US-20040213409-\$ or US-20020004796-\$).did. or (US-7171470-\$ or US-7149892-\$ or US-7111006-\$ or US-7054618-\$).did. or (WO-200293289-\$).did. | US-PGPUB; USPAT; DERWEN T | OR | ON | 2007/03/29 15:14 |
| S95 | 4 | S93 AND S94 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:16 |
| S69 | 6 | S68 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:17 |
| S96 | 81 | discover\$4 NEAR2 services NEAR4 registr\$4 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:17 |

EAST Search History

| | | | | | | |
|------|-------|---|---|----|-----|------------------|
| S97 | 62 | S96 AND (Intermediary OR proxy OR intermediate OR agent OR manager) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:17 |
| S98 | 28 | S97 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:18 |
| S99 | 14 | S97 and @ad<"20030630" and UDDI | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:26 |
| S100 | 14972 | (707/3,9,10).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2007/03/29 15:30 |
| S101 | 1 | determin\$4 SAME (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queue\$3 OR buffer\$3) SAME (re\$1transmit\$3 OR re\$1send\$4 OR communicat\$3 OR transmit\$4 OR send\$4) SAME (request OR discover) AND S100 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:31 |
| S102 | 4 | (UDDI AND registry).ab. AND S100 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:33 |
| S103 | 28357 | (709/203,223-225,217-219,228,229).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2007/03/29 15:33 |
| S104 | 8 | (UDDI AND registry).ab. AND S103 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 15:33 |

EAST Search History

| | | | | | | |
|------|-------|--|---|----|-----|------------------|
| S105 | 2 | ("20040267882").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB | OR | OFF | 2007/03/29 17:45 |
| S47 | 2 | S43 AND discover\$3 AND (Queue OR cash\$3 OR buffer\$3) NEAR2 (discover OR request) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 18:36 |
| S91 | 40 | determin\$4 SAME (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queue\$3 OR buffer\$3) SAME (re\$1transmit\$3 OR re\$1send\$4 OR communicat\$3 OR transmit\$4 OR send\$4) SAME (request OR discover) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 18:36 |
| S108 | 204 | S107 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 18:41 |
| S107 | 257 | S106 SAME (unavailable OR not\$1available OR off\$1line OR busy) NEAR5 (server registr\$4 authentikat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 18:54 |
| S110 | 22 | S109 SAME (Queue OR cach\$3 OR buffer\$3) NEAR5 (discover OR request) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 18:55 |
| S109 | 264 | Determin\$3 NEAR4 (server OR registr\$4) NEAR3 (unavailable OR not\$1available OR off\$1line OR busy) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 18:58 |
| S106 | 45191 | (Queue OR cach\$3 OR buffer\$3) NEAR5 (discover OR request) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 18:59 |

EAST Search History

| | | | | | | |
|------|------|--|--|----|----|------------------|
| S111 | 0 | Determin\$3 NEAR4 (server OR registr\$4) NEAR3 (unavailable OR not\$1available OR off\$1line OR busy) SAME (Intermediary OR proxy OR intermediate) SAME (Queue OR cach\$3 OR buffer\$3) NEAR5 (discover OR request) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 18:59 |
| S112 | 0 | Determin\$3 NEAR4 (server OR registr\$4) NEAR3 (unavailable OR not\$1available OR off\$1line OR busy) SAME (Intermediary OR proxy OR intermediate) SAME (Queue OR cach\$3 OR buffer\$3) SAME (discover OR request) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 18:59 |
| S113 | 16 | (server OR registr\$4) NEAR3 (unavailable OR not\$1available OR off\$1line OR busy) SAME (Intermediary OR proxy OR intermediate) SAME (Queue OR cach\$3 OR buffer\$3) SAME (discover OR request) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/03/29 19:00 |
| S93 | 8292 | (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/01 17:50 |
| S114 | 427 | (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME queue\$4 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/01 17:51 |
| S117 | 2 | (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) NEAR3 ((unavailable OR not\$1available OR off\$1line OR busy) NEAR3 (Intermediary OR proxy OR intermediate OR agent OR manager)) NEAR2 queue\$4 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/01 17:51 |
| S115 | 317 | S114 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/01 17:52 |
| S116 | 44 | (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) NEAR3 ((unavailable OR not\$1available OR off\$1line OR busy) NEAR3 (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME queue\$4 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/01 17:52 |
| S118 | 10 | (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) NEAR3 ((unavailable OR not\$1available OR off\$1line OR busy) NEAR3 (Intermediary OR proxy OR intermediate OR agent OR manager)) WITH queue\$4 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/01 17:52 |

EAST Search History

| | | | | | | |
|------|----------|---|---|----|-----|------------------|
| S120 | 7 | S118 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/01 17:52 |
| S119 | 35 | S116 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/01 17:53 |
| S121 | 1 | ("7155425").PN. | USPAT | OR | OFF | 2007/04/02 10:20 |
| S122 | 15 | (US-20070033597-\$ or US-20050021663-\$ or US-20040003033-\$ or US-20030100307-\$ or US-20020165945-\$ or US-20030158915-\$ or US-20040090966-\$ or US-20020143819-\$ or US-20040213409-\$).did. or (US-7103628-\$ or US-7171470-\$ or US-7054618-\$ or US-7149892-\$ or US-7111006-\$ or US-7155425-\$).did. | US-PGPUB; USPAT | OR | ON | 2007/04/02 10:20 |
| S123 | 5 | S122 AND UDDI AND discover\$3 AND registr\$4 AND (off\$1line OR unavailable OR busy) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 10:22 |
| L4 | 6 | ((dummy OR false) NEAR2 response) NEAR3 availab\$5 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 13:29 |
| L5 | 6 | ((dummy OR false OR pseudo) NEAR2 response) NEAR3 availab\$5 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 13:30 |
| L8 | 56 | ((dummy OR pseudo) WITH response) WITH availab\$5 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 13:34 |
| S6 | 24390836 | @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 13:34 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| L11 | 20 | ACK WITH acceleration | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 13:43 |
| S56 | 6 | TCP WITH ACK WITH acceleration | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 13:43 |
| L12 | 12 | 11 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 14:17 |
| L13 | 7 | 11 AND @ad<"20030630" AND intercept\$3 | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 14:19 |
| L23 | 47 | (service OR server) NEAR2 unavailable NEAR4 error | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 15:37 |
| L24 | 25 | 23 AND @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2007/04/02 15:37 |